

S11 3	74	coprocessor with (load adj instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:38
S11 4	3	combining with multiple with (commands or instructions) with (benefit or advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:39
S11 5	7	combining with multiple with (commands or instructions) with (benefit or advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:52
S11 6	11429	"712"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:53
S11 7	423	(multiple adj instructions) same (advantage or benefit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:53
S11 8	211	S116 and S117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:53
S11 9	1	"4317168".pn.	US-PGPUB; USPAT	OR	ON	2005/03/10 11:09

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
S1	5843	coprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:35
S2	93761	load\$4 near3 (data or instruction or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:36
S3	2127	coprocessor and (load\$4 near3 (data or instruction or address))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/14 21:20
S4	511	coprocessor same (load\$4 near3 (data or instruction or address))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:37
S5	325	(coprocessor same (load\$4 near3 (data or instruction or address))) and operand	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/14 21:23
S6	65	(coprocessor same (load\$4 near3 (data or instruction or address))) and (word adj2 boundary)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/14 21:24
S7	59	((coprocessor same (load\$4 near3 (data or instruction or address))) and operand) and (((coprocessor same (load\$4 near3 (data or instruction or address))) and (word adj2 boundary)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/15 17:12
S8	2	"20020116580"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 21:44
S9	388	align\$4 near operand	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:39
S10	1	((coprocessor same (load\$4 near3 (data or instruction or address))) and operand) and (((coprocessor same (load\$4 near3 (data or instruction or address))) and (word adj2 boundary))) and (align\$4 near operand)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 13:42
S11	12	coprocessor same (align\$4 near operand)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/14 22:25
S12	142	operand same align\$4 near3 boundary	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:40
S13	30	coprocessor and load\$4 and (operand same align\$4 near3 boundary)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/16 12:59
S14	1	usald	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/16 12:59
S15	3137	variable near (length or number) same load\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 13:06
S16	81	variable near (length or number) same load\$4 and coprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 13:07
S17	71	variable near (length or number) same load\$4 same boundar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 13:25

S18	11	(variable near (length or number) same load\$4 and coprocessor) and (variable near (length or number) same load\$4 same boundar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 13:08
S19	683	variable near (length or number) same (data near word)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 13:26
S20	51	load\$4 same (variable near (length or number)) same (data near word)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:39
S21	3200	word near boundar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 13:29
S22	8	(load\$4 same (variable near (length or number)) same (data near word)) and (word near boundar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 13:41
S23	6843	boundar\$4 near5 align\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:15
S24	382	(boundar\$4 near5 align\$4) same load\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 13:50
S25	348	(boundar\$4 near5 align\$4) same load\$4	US-PGPUB; USPAT	OR	ON	2004/02/18 13:53
S26	45	((boundar\$4 near5 align\$4) same load\$4) and coprocessor	US-PGPUB; USPAT	OR	ON	2004/02/18 13:53
S27	1	load\$3 same (boundar\$4 near5 align\$4 near10 depend\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 14:28
S28	49	boundar\$4 near5 align\$4 near10 depend\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 15:08
S29	418	signal adj process\$4 near15 coprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 15:09
S30	173	(signal adj process\$4 near15 coprocessor) and (load\$4 near3 (data or instruction or address))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 15:40
S31	99	(signal adj process\$4 near15 coprocessor) and (load\$4 near3 (data or instruction or address)) and operand	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 15:11
S32	61	(signal adj process\$4 near15 coprocessor) and (load\$4 near3 (data or instruction or address)) and operand and boundar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 15:11
S33	4	(signal adj process\$4 near15 coprocessor) and (load\$4 near3 (data or instruction or address)) and operand and boundar\$3 near7 align\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 15:11
S34	2610	word adj boundary	US-PGPUB; USPAT	OR	ON	2004/02/18 15:41
S35	37	(word adj boundary) and (loading near word)	US-PGPUB; USPAT	OR	ON	2004/02/18 15:42
S36	4	("5638531" "5821887" "5831557" "5857088").PN.	USPAT	OR	ON	2004/02/18 21:01
S37	0	"6507293".URPN.	USPAT	OR	ON	2004/02/18 21:02
S38	1730	coprocessor and boundar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:06

S39	302	coprocessor and (boundar\$4 near\$5 align\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:15
S40	197	((coprocessor and (boundar\$4 near\$5 align\$4)) and operand\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:06
S41	297	((coprocessor and (boundar\$4 near\$5 align\$4)) and load\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:07
S42	196	((coprocessor and (boundar\$4 near\$5 align\$4)) and operand\$2) and ((coprocessor and (boundar\$4 near\$5 align\$4)) and load\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:15
S43	152	((coprocessor and (boundar\$4 near\$5 align\$4)) and operand\$2) and ((coprocessor and (boundar\$4 near\$5 align\$4)) and load\$4) and (data adj2 process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:15
S44	76	coprocessor and (word adj3 boundar\$4 near3 align\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:16
S45	38	((coprocessor and (boundar\$4 near\$5 align\$4)) and operand\$2) and ((coprocessor and (boundar\$4 near\$5 align\$4)) and load\$4) and (data adj2 process\$3) and (coprocessor and (word adj3 boundar\$4 near3 align\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:43
S46	7	("3930232" "4755965" "5732005" "5805475" "5887183" "5901316" "5940311").PN.	USPAT	OR	ON	2004/02/18 21:27
S47	16	aldworth.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:47
S48	1	aldworth.in. and (boundar\$3 near align\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:48
S49	1	(data adj process\$3) near load\$4 near20 coprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:58
S50	10	(data adj process\$3) near20 load\$4 near20 coprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 22:07
S51	509	(main adj processor) and coprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 22:08
S52	173	((main adj processor) and coprocessor) and (data adj processing)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 22:08
S53	72	((main adj processor) and coprocessor) and (data adj processing)) and boundar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 22:10
S54	6	((main adj processor) and coprocessor) and (data adj processing)) and align\$4 near2 boundar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 22:08
S55	15	((main adj processor) and coprocessor) and (data adj processing)) and boundar\$3 and (load\$3 near instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 22:10
S56	3243	coprocessor same memor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/22 17:35

S57	18	coprocessor same memor\$3 same (stor\$3 or sav\$3 or hold\$3) near3 operands2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/22 17:36
S58	7	(US-5668984-\$ or US-4317168-\$ or US-5025407-\$ or US-6507293-\$ or US-4547849-\$ or US-4715013-\$). did. or (US-5577200-\$).did.	USPAT; DERWENT	OR	OFF	2004/02/22 17:39
S59	0	(coprocessor same memor\$3 same (stor\$3 or sav\$3 or hold\$3) near3 operands2) and ((US-5668984-\$ or US-4317168-\$ or US-5025407-\$ or US-6507293-\$ or US-4547849-\$ or US-4715013-\$).did. or (US-5577200-\$).did.)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/22 17:39
S60	4	(coprocessor same memor\$3) and ((US-5668984-\$ or US-4317168-\$ or US-5025407-\$ or US-6507293-\$ or US-4547849-\$ or US-4715013-\$).did. or (US-5577200-\$).did.)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/22 17:43
S61	58	((data adj processing adj unit) or (signal adj processing adj unit)) same (stor\$3 or sav\$3 or hold\$3) near3 operands2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/23 09:00
S62	2418	sum adj3 absolute near3 difference\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/23 08:58
S63	203	(sum adj3 absolute near3 difference\$2) near4 compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/23 08:59
S64	6	((data adj processing adj unit) or (signal adj processing adj unit)) and ((sum adj3 absolute near3 difference\$2) near4 compar\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/23 09:15
S65	2	"5935197".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/09 14:09
S66	7	(US-4317168-\$ or US-6507293-\$ or US-4715013-\$ or US-4547849-\$ or US-5025407-\$ or US-5668984-\$). did. or (US-5577200-\$).did.	USPAT; DERWENT	OR	OFF	2004/03/09 14:27
S67	4	((US-4317168-\$ or US-6507293-\$ or US-4715013-\$ or US-4547849-\$ or US-5025407-\$ or US-5668984-\$). did. or (US-5577200-\$).did.) and (coprocessor adj3 memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/09 14:43
S68	3	((US-4317168-\$ or US-6507293-\$ or US-4715013-\$ or US-4547849-\$ or US-5025407-\$ or US-5668984-\$). did. or (US-5577200-\$).did.) and (coprocessor adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/09 23:44
S69	20018	(buffer or flipflop or latch) same address\$3 same ((enable or control or read or write) adj2 signal) same data	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/09 23:48
S70	12725	(buffer or flipflop) same address\$3 same ((enable or control or read or write) adj2 signal) same data	US-PGPUB; USPAT	OR	ON	2004/03/09 23:47
S71	0	flipflop near5 address\$3 near5 ((enable or control or read or write) adj2 signal) near5 data	US-PGPUB; USPAT	OR	ON	2004/03/09 23:47
S72	0	(mobile adj station) near5 (memory adj access adj controller) near5 (processor or cpu) near5 memor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/10 14:05
S73	1	(mobile adj station) near5 (memory adj access adj controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/10 14:42
S74	4	(mobile adj station) same (memory adj access adj controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/10 14:42
S75	0	(coprocessor adj memory) near5 (stor\$3 or sav\$3 or buffers\$3 or hold\$3) near3 operand	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/13 20:29

S76	13	(coprocessor adj memory) near5 (stor\$3 or sav\$3 or buffer\$3 or holds\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/13 20:30
S77	2	"20010017899"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/15 17:18
S78	4	(dsp or (digital adj signal adj process\$4) or (data adj3 process\$4)) near7 (coprocessor or (co adj processor)) near7 (data adj2 word)	US-PGPUB; USPAT	OR	ON	2004/03/16 14:59
S79	425	coprocessor adj2 memor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 21:44
S80	3728	boundary near2 align\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 21:44
S81	239	(data adj word\$1) near5 boundar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 23:27
S82	22	align\$4 near3 ((data adj word\$1) near5 boundar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 21:45
S83	28673	sum near4 difference\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 21:45
S84	12	(boundary near2 align\$4) and (align\$4 near3 ((data adj word\$1) near5 boundar\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 21:45
S85	1	((boundary near2 align\$4) and (align\$4 near3 ((data adj word\$1) near5 boundar\$3))) and ((coprocessor adj2 memor\$3) and (sum near4 difference\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 21:45
S86	14	(coprocessor adj2 memor\$3) and (sum near4 difference\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 22:10
S87	5	(load\$3 near3 (data adj word\$1)) near5 boundar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 23:34
S88	722	piccolo	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 23:34
S89	14	piccolo and (load\$4 near3 (word or byte))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 23:38
S90	13	(coprocessor near3 memor\$3) and (piccolo and (load\$4 near3 (word or byte)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 23:39
S91	31	(sum near3 difference) near7 (byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 23:40
S92	1	((register near3 address\$2) and ((coprocessor near3 memor\$3) and (piccolo and (load\$4 near3 (word or byte)))) and ((sum near3 difference) near7 (byte)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 23:40
S93	13	(register near3 address\$2) and ((coprocessor near3 memor\$3) and (piccolo and (load\$4 near3 (word or byte))))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/17 11:22

S94	2	"5193207".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/17 14:02
S95	2	"20020049894"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/17 22:35
S96	2	"6327647"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/17 22:35
S97	353	alignment adj register	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:05
S98	1	(alignment adj register) near3 coprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 22:49
S99	1	(alignment adj register) same coprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 22:49
S100	13	(alignment adj register) and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:04
S101	4	(alignment adj register) near5 operand	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:04
S102	460	alignment near7 operand	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:05
S103	73	(alignment near7 operand) and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:14
S104	420	alignment adj value	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:15
S105	41	(alignment adj value) and (boundar\$4 near5 align\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:33
S106	42	pixel adj value adj matching	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:33
S107	6	(sum adj3 difference) and (pixel adj value adj matching)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:38
S108	36	pixel adj block adj matching	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:38
S109	11	(sum adj3 difference) and (pixel adj block adj matching)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:38
S110	2	("5168561" "6331856").pn.	US-PGPUB; USPAT	OR	ON	2004/07/27 10:03
S111	1	coprocessor with (load adj instruction) with loading	US-PGPUB; USPAT	OR	ON	2005/03/10 08:43

S11 2	1	coprocessor with (load adj instruction) with loading	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 08:44
S11 3	74	coprocessor with (load adj instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:38
S11 4	3	combining with multiple with (commands or instructions) with (benefit or advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:39
S11 5	7	combining with multiple with (commands or instructions) with (benefit or advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:52
S11 6	11429	"712"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:53
S11 7	423	(multiple adj instructions) same (advantage or benefit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:53
S11 8	211	S116 and S117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:53
S11 9	1	"4317168".pn.	US-PGPUB; USPAT	OR	ON	2005/03/10 11:09
S12 0	610	711/125,201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:35
S12 1	581	712/204,210.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:35
S12 2	1162	S120 or S121	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:35
S12 3	122644	load\$4 near3 (data or instruction or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:36
S12 4	823	(coprocessor or co?processor) same S123	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:37
S12 5	785472	(perform\$4 or execut\$4 or process\$4 or decod\$4) near5 (instruction or command or code or program or script)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:38
S12 6	532	S124 same S125	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:38
S12 7	33	S122 and S126	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:39

S128	453	align\$4 near operand	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:39
S129	56	load\$4 same (variable near (length or number)) same (data near word)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:39
S130	159	operand same align\$4 near3 boundary	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:40
S131	2	S128 and S129	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:40
S132	58	S128 and S130	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:40
S133	1	S129 and S130	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:40
S134	1	(S131 or S132 or S133) and S127	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:41
S135	7	(S131 or S132 or S133) and S122	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:41

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5843	coprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:35
S2	93761	load\$4 near3 (data or instruction or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:36
S3	2127	coprocessor and (load\$4 near3 (data or instruction or address))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/14 21:20
S4	511	coprocessor same (load\$4 near3 (data or instruction or address))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:37
S5	325	(coprocessor same (load\$4 near3 (data or instruction or address))) and operand	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/14 21:23
S6	65	(coprocessor same (load\$4 near3 (data or instruction or address))) and (word adj2 boundary)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/14 21:24
S7	59	((coprocessor same (load\$4 near3 (data or instruction or address))) and operand) and (((coprocessor same (load\$4 near3 (data or instruction or address))) and (word adj2 boundary)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/15 17:12
S8	2	"20020116580"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 21:44
S9	388	align\$4 near operand	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:39
S10	1	((coprocessor same (load\$4 near3 (data or instruction or address))) and operand) and (((coprocessor same (load\$4 near3 (data or instruction or address))) and (word adj2 boundary))) and (align\$4 near operand)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 13:42
S11	12	coprocessor same (align\$4 near operand)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/14 22:25
S12	142	operand same align\$4 near3 boundary	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:40
S13	30	coprocessor and load\$4 and (operand same align\$4 near3 boundary)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/16 12:59
S14	1	usald	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/16 12:59
S15	3137	variable near (length or number) same load\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 13:06
S16	81	variable near (length or number) same load\$4 and coprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 13:07
S17	71	variable near (length or number) same load\$4 same boundar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 13:25

S18	11	(variable near (length or number) same load\$4 and coprocessor) and (variable near (length or number) same load\$4 same boundar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 13:08
S19	683	variable near (length or number) same (data near word)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 13:26
S20	51	load\$4 same (variable near (length or number)) same (data near word)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:39
S21	3200	word near boundar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 13:29
S22	8	(load\$4 same (variable near (length or number)) same (data near word)) and (word near boundar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 13:41
S23	6843	boundar\$4 near5 align\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:15
S24	382	(boundar\$4 near5 align\$4) same load\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 13:50
S25	348	(boundar\$4 near5 align\$4) same load\$4	US-PGPUB; USPAT	OR	ON	2004/02/18 13:53
S26	45	((boundar\$4 near5 align\$4) same load\$4) and coprocessor	US-PGPUB; USPAT	OR	ON	2004/02/18 13:53
S27	1	load\$3 same (boundar\$4 near5 align\$4 near10 depend\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 14:28
S28	49	boundar\$4 near5 align\$4 near10 depend\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 15:08
S29	418	signal adj process\$4 near15 coprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 15:09
S30	173	(signal adj process\$4 near15 coprocessor) and (load\$4 near3 (data or instruction or address))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 15:40
S31	99	(signal adj process\$4 near15 coprocessor) and (load\$4 near3 (data or instruction or address)) and operand	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 15:11
S32	61	(signal adj process\$4 near15 coprocessor) and (load\$4 near3 (data or instruction or address)) and operand and boundar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 15:11
S33	4	(signal adj process\$4 near15 coprocessor) and (load\$4 near3 (data or instruction or address)) and operand and boundar\$3 near7 align\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 15:11
S34	2610	word adj boundary	US-PGPUB; USPAT	OR	ON	2004/02/18 15:41
S35	37	(word adj boundary) and (loading near word)	US-PGPUB; USPAT	OR	ON	2004/02/18 15:42
S36	4	("5638531" "5821887" "5831557" "5857088").PN.	USPAT	OR	ON	2004/02/18 21:01
S37	0	"6507293".URPN.	USPAT	OR	ON	2004/02/18 21:02
S38	1730	coprocessor and boundar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:06

S39	302	coprocessor and (boundar\$4 near5 align\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:15
S40	197	((coprocessor and (boundar\$4 near5 align\$4)) and operand\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:06
S41	297	((coprocessor and (boundar\$4 near5 align\$4)) and load\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:07
S42	196	((coprocessor and (boundar\$4 near5 align\$4)) and operand\$2) and ((coprocessor and (boundar\$4 near5 align\$4)) and load\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:15
S43	152	((coprocessor and (boundar\$4 near5 align\$4)) and operand\$2) and ((coprocessor and (boundar\$4 near5 align\$4)) and load\$4) and (data adj2 process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:15
S44	76	coprocessor and (word adj3 boundar\$4 near3 align\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:16
S45	38	((coprocessor and (boundar\$4 near5 align\$4)) and operand\$2) and ((coprocessor and (boundar\$4 near5 align\$4)) and load\$4) and (data adj2 process\$3) and (coprocessor and (word adj3 boundar\$4 near3 align\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:43
S46	7	("3930232" "4755965" "5732005" "5805475" "5887183" "5901316" "5940311").PN.	USPAT	OR	ON	2004/02/18 21:27
S47	16	aldworth.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:47
S48	1	aldworth.in. and (boundar\$3 near align\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:48
S49	1	(data adj process\$3) near load\$4 near20 coprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 21:58
S50	10	(data adj process\$3) near20 load\$4 near20 coprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 22:07
S51	509	(main adj processor) and coprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 22:08
S52	173	((main adj processor) and coprocessor) and (data adj processing)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 22:08
S53	72	((main adj processor) and coprocessor) and (data adj processing) and boundar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 22:10
S54	6	((main adj processor) and coprocessor) and (data adj processing) and align\$4 near2 boundar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 22:08
S55	15	((main adj processor) and coprocessor) and (data adj processing) and boundar\$3 and (load\$3 near instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/18 22:10
S56	3243	coprocessor same memors\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/22 17:35

S57	18	coprocessor same memor\$3 same (stor\$3 or sav\$3 or hold\$3) near3 operand\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/22 17:36
S58	7	((US-5668984-\$ or US-4317168-\$ or US-5025407-\$ or US-6507293-\$ or US-4547849-\$ or US-4715013-\$). did. or (US-5577200-\$).did.)	USPAT; DERWENT	OR	OFF	2004/02/22 17:39
S59	0	(coprocessor same memor\$3 same (stor\$3 or sav\$3 or hold\$3) near3 operand\$2) and ((US-5668984-\$ or US-4317168-\$ or US-5025407-\$ or US-6507293-\$ or US-4547849-\$ or US-4715013-\$).did. or (US-5577200-\$).did.)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/22 17:39
S60	4	(coprocessor same memor\$3) and ((US-5668984-\$ or US-4317168-\$ or US-5025407-\$ or US-6507293-\$ or US-4547849-\$ or US-4715013-\$).did. or (US-5577200-\$).did.)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/22 17:43
S61	58	((data adj processing adj unit) or (signal adj processing adj unit)) same (stor\$3 or sav\$3 or hold\$3) near3 operand\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/23 09:00
S62	2418	sum adj3 absolute near3 difference\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/23 08:58
S63	203	(sum adj3 absolute near3 difference\$2) near4 compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/23 08:59
S64	6	((data adj processing adj unit) or (signal adj processing adj unit)) and ((sum adj3 absolute near3 difference\$2) near4 compar\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/23 09:15
S65	2	"5935197".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/09 14:09
S66	7	((US-4317168-\$ or US-6507293-\$ or US-4715013-\$ or US-4547849-\$ or US-5025407-\$ or US-5668984-\$). did. or (US-5577200-\$).did.)	USPAT; DERWENT	OR	OFF	2004/03/09 14:27
S67	4	((US-4317168-\$ or US-6507293-\$ or US-4715013-\$ or US-4547849-\$ or US-5025407-\$ or US-5668984-\$). did. or (US-5577200-\$).did.) and (coprocessor adj3 memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/09 14:43
S68	3	((US-4317168-\$ or US-6507293-\$ or US-4715013-\$ or US-4547849-\$ or US-5025407-\$ or US-5668984-\$). did. or (US-5577200-\$).did.) and (coprocessor adj3 memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/09 23:44
S69	20018	(buffer or flipflop or latch) same address\$3 same ((enable or control or read or write) adj2 signal) same data	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/09 23:48
S70	12725	(buffer or flipflop) same address\$3 same ((enable or control or read or write) adj2 signal) same data	US-PGPUB; USPAT	OR	ON	2004/03/09 23:47
S71	0	flipflop near5 address\$3 near5 ((enable or control or read or write) adj2 signal) near5 data	US-PGPUB; USPAT	OR	ON	2004/03/09 23:47
S72	0	(mobile adj station) near5 (memory adj access adj controller) near5 (processor or cpu) near5 memor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/10 14:05
S73	1	(mobile adj station) near5 (memory adj access adj controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/10 14:42
S74	4	(mobile adj station) same (memory adj access adj controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/10 14:42
S75	0	(coprocessor adj memory) near5 (stor\$3 or sav\$3 or buffer\$3 or hold\$3) near3 operand	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/13 20:29

S76	13	(coprocessor adj memory) near5 (stor\$3 or sav\$3 or buffers\$3 or holds\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/13 20:30
S77	2	"20010017899"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/15 17:18
S78	4	(dsp or (digital adj signal adj process\$4) or (data adj3 process\$4)) near7 (coprocessor or (co adj processor)) near7 (data adj2 word)	US-PGPUB; USPAT	OR	ON	2004/03/16 14:59
S79	425	coprocessor adj2 memor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 21:44
S80	3728	boundary near2 align\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 21:44
S81	239	(data adj word\$1) near5 boundar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 23:27
S82	22	align\$4 near3 ((data adj word\$1) near5 boundar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 21:45
S83	28673	sum near4 difference\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 21:45
S84	12	(boundary near2 align\$4) and (align\$4 near3 ((data adj word\$1) near5 boundar\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 21:45
S85	1	((boundary near2 align\$4) and (align\$4 near3 ((data adj word\$1) near5 boundar\$3))) and ((coprocessor adj2 memor\$3) and (sum near4 difference\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 21:45
S86	14	(coprocessor adj2 memor\$3) and (sum near4 difference\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 22:10
S87	5	(load\$3 near3 (data adj word\$1)) near5 boundar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 23:34
S88	722	piccolo	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 23:34
S89	14	piccolo and (load\$4 near3 (word or byte))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 23:38
S90	13	(coprocessor near3 memor\$3) and (piccolo and (load\$4 near3 (word or byte)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 23:39
S91	31	(sum near3 difference) near7 (byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 23:40
S92	1	((register near3 address\$2) and ((coprocessor near3 memor\$3) and (piccolo and (load\$4 near3 (word or byte)))))) and ((sum near3 difference) near7 (byte))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/16 23:40
S93	13	(register near3 address\$2) and ((coprocessor near3 memor\$3) and (piccolo and (load\$4 near3 (word or byte))))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/17 11:22

S94	2	"5193207".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/17 14:02
S95	2	"20020049894"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/17 22:35
S96	2	"6327647"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/17 22:35
S97	353	alignment adj register	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:05
S98	1	(alignment adj register) near3 coprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 22:49
S99	1	(alignment adj register) same coprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 22:49
S100	13	(alignment adj register) and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:04
S101	4	(alignment adj register) near5 operand	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:04
S102	460	alignment near7 operand	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:05
S103	73	(alignment near7 operand) and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:14
S104	420	alignment adj value	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:15
S105	41	(alignment adj value) and (boundar\$4 near5 align\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:33
S106	42	pixel adj value adj matching	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:33
S107	6	(sum adj3 difference) and (pixel adj value adj matching)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:38
S108	36	pixel adj block adj matching	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:38
S109	11	(sum adj3 difference) and (pixel adj block adj matching)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/18 23:38
S110	2	("5168561" "6331856").pn.	US-PGPUB; USPAT	OR	ON	2004/07/27 10:03
S111	1	coprocessor with (load adj instruction) with loading	US-PGPUB; USPAT	OR	ON	2005/03/10 08:43

S11 2	1	coprocessor with (load adj instruction) with loading	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 08:44
S11 3	74	coprocessor with (load adj instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:38
S11 4	3	combining with multiple with (commands or instructions) with (benefit or advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:39
S11 5	7	combining with multiple with (commands or instructions) with (benefit or advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:52
S11 6	11429	"712"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:53
S11 7	423	(multiple adj instructions) same (advantage or benefit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:53
S11 8	211	S116 and S117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/10 10:53
S11 9	1	"4317168".pn.	US-PGPUB; USPAT	OR	ON	2005/03/10 11:09
S12 0	610	711/125,201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:35
S12 1	581	712/204,210.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:35
S12 2	1162	S120 or S121	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:35
S12 3	122644	load\$4 near3 (data or instruction or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:36
S12 4	823	(coprocessor or co?processor) same S123	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:37
S12 5	785472	(perform\$4 or execut\$4 or process\$4 or decod\$4) near5 (instruction or command or code or program or script)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:38
S12 6	532	S124 same S125	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:38
S12 7	33	S122 and S126	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:39

S12 8	453	align\$4 near operand	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:39
S12 9	56	load\$4 same (variable near (length or number)) same (data near word)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:39
S13 0	159	operand same align\$4 near3 boundary	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:40
S13 1	2	S128 and S129	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:40
S13 2	58	S128 and S130	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:40
S13 3	1	S129 and S130	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:40
S13 4	1	(S131 or S132 or S133) and S127	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:41
S13 5	7	(S131 or S132 or S133) and S122	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/22 10:41